



BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70





Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



RASHLADNI STOLOVI

DESIGN SERIES

Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 100	1 doors, -2°C +8°C T° range, with top, cooling unit included	8 defrosts in 24h, 120 lt capacity, 970x700x850 ext.dim.in mm, No ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		15.398	2.095
ACO 101	2 doors, -2°C +8°C T° range, with top, cooling unit included	4 defrosts in 24h, 280 lt capacity, 1460x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.159	2.335
ACO 102	3 doors, -2°C +8°C T° range, with top, cooling unit included	4 defrosts in 24h, 540 lt capacity, 1945x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.090	2.869
ACO 103	4 doors, -2°C +8°C T° range, with top, cooling unit included	4 defrosts in 24h, 733 lt capacity, 2430x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		23.996	3.265

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama







BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisvijet.hr, www.bijelisvijet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 104	1 doors, -25°C - 10°C T° range, with top, cooling unit included	4 defrosts in 24h, 120 lt capacity, 970x700x850 ext.dim.in mm, No ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.159	2.335
ACO 105	2 doors, -25°C - 10°C T° range, with top, cooling unit included	4 defrosts in 24h, 280 lt capacity, 1460x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		20.235	2.753
ACO 106	3 doors, -25°C - 10°C T° range, with top, cooling unit included	4 defrosts in 24h, 540 lt capacity, 1945x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		23.483	3.195
ACO 107	4 doors, -25°C - 10°C T° range, with top, cooling unit included	4 defrosts in 24h, 733 lt capacity, 2430x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		27.073	3.683

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama







BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisvijet.hr, www.bijelisvijet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 108	1 doors, -2°C +8°C T° range, with top and backguard, cooling unit included	8 defrosts in 24h, 120 lt capacity, 970x700x850 ext.dim.in mm, No ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		15.825	2.153
ACO 109	2 doors, -2°C +8°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 280 lt capacity, 1460x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.586	2.393
ACO 110	3 doors, -2°C +8°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 540 lt capacity, 1945x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.603	2.939
ACO 111	4 doors, -2°C +8°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 733 lt capacity, 2430x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		24.594	3.346

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama







BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 112	1 doors, -25°C - 10°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 120 lt capacity, 970x700x850 ext.dim.in mm, No ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.500	2.381
ACO 113	2 doors, -25°C - 10°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 280 lt capacity, 1460x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		20.663	2.811
ACO 114	3 doors, -25°C - 10°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 540 lt capacity, 1945x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		23.996	3.265
ACO 115	4 doors, -25°C - 10°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 733 lt capacity, 2430x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		27.671	3.765

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisvijet.hr, www.bijelisvijet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 116	2 doors, -2°C +8°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 280 lt capacity, 1090x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		14.919	2.030
ACO 117	3 doors, -2°C +8°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 540 lt capacity, 1575x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		18.868	2.567
ACO 118	4 doors, -2°C +8°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 733 lt capacity, 2060x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		20.834	2.835

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 119	2 doors, -25°C - 10°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 280 lt capacity, 1090x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.159	2.335
ACO 120	3 doors, -25°C - 10°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 540 lt capacity, 1575x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.722	2.955
ACO 121	4 doors, -25°C - 10°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 733 lt capacity, 2060x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		23.141	3.148

**Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama**






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 122	2 doors, -2°C +8°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 280 lt capacity, 1090x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		15.347	2.088
ACO 123	3 doors, -2°C +8°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 540 lt capacity, 1575x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		19.381	2.637
ACO 124	4 doors, -2°C +8°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 733 lt capacity, 2060x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.090	2.869

**Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama**






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 125	2 doors, -25°C 10°C T°, with top & backguard, NO cooling unit included	4 defrosts in 24h, 280 lt capacity, 1090x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.586	2.393
ACO 126	3 doors, -25°C 10°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 540 lt capacity, 1575x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		22.235	3.025
ACO 127	4 doors, -25°C 10°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 733 lt capacity, 2060x700x850 ext.dim.in mm, Yes ventilated model, Yes humidity control, R404a, 43°C max ambient T°, 60mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		23.654	3.218

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama



BIJELI SVIJET d.o.o




Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisvijet.hr, www.bijelisvijet.hr



TRADITIONAL SERIES

Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 150	2 doors, -2°C +8°C T° range, with top, Yes cooling unit included	4 defrosts in 24h, 280 lt capacity, 1310x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		14.766	2.009
ACO 151	3 doors, -2°C +8°C T° range, with top, Yes cooling unit included	4 defrosts in 24h, 540 lt capacity, 1775x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.842	2.428
ACO 152	4 doors, -2°C +8°C T° range, with top, Yes cooling unit included	4 defrosts in 24h, 733 lt capacity, 2240x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.090	2.869

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 153	2 doors, -25°C - 10°C T° range, with top, Yes cooling unit included	4 defrosts in 24h, 280 lt capacity, 1310x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		16.646	2.265
ACO 154	3 doors, -25°C - 10°C T° range, with top, Yes cooling unit included	4 defrosts in 24h, 540 lt capacity, 1775x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		20.577	2.800
ACO 155	4 doors, -25°C - 10°C T° range, with top, Yes cooling unit included	4 defrosts in 24h, 733 lt capacity, 2240x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		23.825	3.241

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 156	2 doors, -2°C +8°C T° range, with top and backguard, Yes cooling unit included	4 defrosts in 24h, 280 lt capacity, 1310x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		15.193	2.067
ACO 156/1		Refrigerated Table , Traditional Series, 280 liters, 2 glass doors		17.222	2.343
ACO 157	3 doors, -2°C +8°C range, with top and backguard, cooling unit included	4 defrosts in 24h, 540 lt capacity, 1775x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		18.355	2.497
ACO 158	4 doors, -2°C +8°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 733 lt capacity, 2240x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.688	2.951

**Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama**






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisvijet.hr, www.bijelisvijet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 159	2 doors, -25°C - 10°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 280 lt capacity, 1310x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		17.073	2.323
ACO 160	3 doors, -25°C - 10°C T° range, with top and backguard, cooling unit included	4 defrosts in 24h, 540 lt capacity, 1775x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.090	2.869
ACO 161	4 doors, -25°C - 10°C T°, with top & backguard, cooling unit included	4 defrosts in 24h, 733 lt capacity, 2240x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		24.423	3.323

**Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama**






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 162	2 doors, -2°C +8°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 280 lt capacity, 1100x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		12.885	1.753
ACO 163	3 doors, -2°C +8°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 540 lt capacity, 1560x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		15.791	2.148
ACO 164	4 doors, -2°C +8°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 733 lt capacity, 2030x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		18.868	2.567

**Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama**






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 165	2 doors, -25°C - 10°C T° range, with top, NO cooling unit included	4 defrosts in 24h, 280 lt capacity, 1100x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		15.449	2.102
ACO 166	3 doors, -25°C - 10°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 540 lt capacity, 1560x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		18.526	2.521
ACO 167	4 doors, -25°C - 10°C T° range, with top, NO (remote) cooling unit included	4 defrosts in 24h, 733 lt capacity, 2030x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.346	2.904

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisvijet.hr, www.bijelisvijet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 168	2 doors, -2°C +8°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 280 lt capacity, 1100x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		13.227	1.800
ACO 169	3 doors, -2°C +8°C T°, with top and backguard, NO cooling unit included	4 defrosts in 24h, 540 lt capacity, 1560x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		16.304	2.218
ACO 170	4 doors, -2°C +8°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 733 lt capacity, 2030x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		19.466	2.648

**Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama**






BIJELI SVIJET d.o.o

Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 171	2 doors, -25°C - 10°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 280 lt capacity, 1100x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		15.791	2.148
ACO 172	3 doors, -25°C - 10°C T° range, with top and backguard, NO cooling unit included	4 defrosts in 24h, 540 lt capacity, 1560x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		18.868	2.567
ACO 173	4 doors, -25°C - 10°C T°, with top & backguard, NO cooling unit included	4 defrosts in 24h, 733 lt capacity, 2030x700x850 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		21.945	2.986

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama



BIJELI SVIJET d.o.o



Kranjčevićeva 50, 10000 Zagreb, Croatia, Tel: +385 1 309 18 70

Fax: +385 1 309 18 71, Račun: 2484008-1103648217, OIB: 31225259453

e-mail: info@bijelisivjet.hr, www.bijelisivjet.hr



PIZZA PULT

Model	Opis proizvoda	Specifikacija	Slika	Cijena u KN	Cijena u EUR
ACO 191	2 + 1/2 neutral doors, -2°C +8°C°, with marble top and preparation pan cooler, cooling unit included	defrosts in 24h, 395 lt capacity, 1600x800x1450 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		29.739	4.046
ACO 190	2 + 1 neutral + 1/2 neutral doors, -2°C+8°C with marble top & preparation pan cooler, cooling unit included	defrosts in 24h, 395 lt capacity, 2170x800x1450 ext.dim.in mm, Yes ventilated model, No humidity control, R404a, 43°C max ambient T°, 50mm insulation thickness, No door lock, Yes reversible door, grids included: 1 per each door, Plastic Coated grids		35.944	4.890

Cijene su izražene u kunama, bez PDV - a, FCO skladište Zagreb
Sve navedene informacije o proizvodima podložne su promjenama